

- While ALL NURON batteries are compatible with ALL NURON tools, Hilti recommends specific batteries to be sold with each tool because they offer the best balance of performance, run time and weight for each tool.
- When two batteries are available for a tool (for example, B22-85 and B22-170,) note that the B22-85 optimizes size and weight while the B22-170 offers higher performance and run time with added weight.
- Charger performance has two factors: how much power can the charger provide and how much charge can the battery receive. The C 8-22 Charger does not charge B22-55 or B22-85 any faster than the C 6-22 or C 4-22 Chargers.
- Tool, battery, and application determine the best battery and charger combination. For example, while the SL 6-22 can run all day on a B 22-255, this combination does not require a C 8-22 due to 8 hours of run time. Alternatively, a TE 2000-22 can be continuously used with (2) B22-255s and will require (2) C 8-22 to perform at the optimum level.
- C 6-22 and C 8-22 Chargers both include fans that help cool batteries for faster charging when batteries are hot. Selling C 6-22 chargers when C 4-22 is recommended may make sense when price is a lower concern for the customer.

Hilti recommended for sale with tool
 Compatible, may be too large or heavy for most work with tool

Compatible, will have low run time for applications on this tool

All NURON chargers compatible with all NURON batteries

NURON Batteries and Chargers

Tool Description	Item No.	2251348 2251352 2251360 2345534 2253927 2254431 2260054						
		B22-55	B22-85	B22 -170	B22-255	C4-22	C6-22	C8-22
SL 2-22 Task light 	2243000	✓	✓			✓		
SL 6-22 Area light 	2242907	✓	✓	✓	✓	✓		
SL 10-22 Tower area light 	2374181				✓	✓		
SF 4-22 Drill driver 	2253847	✓	✓			✓		
SF 4H-22 Drill driver 	2253841	✓	✓			✓		
SF 6H-22 Hammer drill driver 	2254917		✓	✓		✓		

- While ALL NURON batteries are compatible with ALL NURON tools, Hilti recommends specific batteries to be sold with each tool because they offer the best balance of performance, run time and weight for each tool.
- When two batteries are available for a tool (for example, B22-85 and B22-170,) note that the B22-85 optimizes size and weight while the B22-170 offers higher performance and run time with added weight.
- Charger performance has two factors: how much power can the charger provide and how much charge can the battery receive. The C 8-22 Charger does not charge B22-55 or B22-85 any faster than the C 6-22 or C 4-22 Chargers.
- Tool, battery, and application determine the best battery and charger combination. For example, while the SL 6-22 can run all day on a B 22-255, this combination does not require a C 8-22 due to 8 hours of run time. Alternatively, a TE 2000-22 can be continuously used with (2) B22-255s and will require (2) C 8-22 to perform at the optimum level.
- C 6-22 and C 8-22 Chargers both include fans that help cool batteries for faster charging when batteries are hot. Selling C 6-22 chargers when C 4-22 is recommended may make sense when price is a lower concern for the customer.

Hilti recommended for sale with tool
 Compatible, may be too large or heavy for most work with tool

Compatible, will have low run time for applications on this tool

All NURON chargers compatible with all NURON batteries

NURON Batteries and Chargers

Tool Description	Item No.	NURON Batteries and Chargers						
		B22-55	B22-85	B22 -170	B22-255	C4-22	C6-22	C8-22
 SID 4-22 Compact impact driver	2324412							
 SID 6-22 Impact driver	2246798							
 SID 4R-22 Impact driver	2349980							
 SID 8-22 Impact driver	2351737							
 SIW 4R-22 Impact wrench	2349981							
 SIW 4AT-22 Impact wrench	2291232							

- While ALL NURON batteries are compatible with ALL NURON tools, Hilti recommends specific batteries to be sold with each tool because they offer the best balance of performance, run time and weight for each tool.
- When two batteries are available for a tool (for example, B22-85 and B22-170,) note that the B22-85 optimizes size and weight while the B22-170 offers higher performance and run time with added weight.
- Charger performance has two factors: how much power can the charger provide and how much charge can the battery receive. The C 8-22 Charger does not charge B22-55 or B22-85 any faster than the C 6-22 or C 4-22 Chargers.
- Tool, battery, and application determine the best battery and charger combination. For example, while the SL 6-22 can run all day on a B 22-255, this combination does not require a C 8-22 due to 8 hours of run time. Alternatively, a TE 2000-22 can be continuously used with (2) B22-255s and will require (2) C 8-22 to perform at the optimum level.
- C 6-22 and C 8-22 Chargers both include fans that help cool batteries for faster charging when batteries are hot. Selling C 6-22 chargers when C 4-22 is recommended may make sense when price is a lower concern for the customer.

Hilti recommended for sale with tool
 Compatible, may be too large or heavy for most work with tool

Compatible, will have low run time for applications on this tool

All NURON chargers compatible with all NURON batteries

NURON Batteries and Chargers

Tool Description	Item No.	2251348 2251352 2251360 2345534 2253927 2254431 2260054						
		B22-55	B22-85	B22 -170	B22-255	C4-22	C6-22	C8-22
SIW 6-22 Impact wrench	2251622							
SIW 8-22 Impact wrench	2251631							
NPR 24-22 Press tool	2313476							
NPR 32-22 Press tool	2252526							
NPR 32 P-22 Press tool	2252526							
NPR 32 XL-22 Press tool	2320251							

- While ALL NURON batteries are compatible with ALL NURON tools, Hilti recommends specific batteries to be sold with each tool because they offer the best balance of performance, run time and weight for each tool.
- When two batteries are available for a tool (for example, B22-85 and B22-170,) note that the B22-85 optimizes size and weight while the B22-170 offers higher performance and run time with added weight.
- Charger performance has two factors: how much power can the charger provide and how much charge can the battery receive. The C 8-22 Charger does not charge B22-55 or B22-85 any faster than the C 6-22 or C 4-22 Chargers.
- Tool, battery, and application determine the best battery and charger combination. For example, while the SL 6-22 can run all day on a B 22-255, this combination does not require a C 8-22 due to 8 hours of run time. Alternatively, a TE 2000-22 can be continuously used with (2) B22-255s and will require (2) C 8-22 to perform at the optimum level.
- C 6-22 and C 8-22 Chargers both include fans that help cool batteries for faster charging when batteries are hot. Selling C 6-22 chargers when C 4-22 is recommended may make sense when price is a lower concern for the customer.

Hilti recommended for sale with tool
 Compatible, may be too large or heavy for most work with tool

Compatible, will have low run time for applications on this tool

All NURON chargers compatible with all NURON batteries

NURON Batteries and Chargers

Tool Description		Item No.	B22-55	B22-85	B22 -170	B22-255	C4-22	C6-22	C8-22
NCR 60 D-22 Crimper		2252477	✓	✓			✓		
NCR 120-22 Crimper		2252473	✓	✓			✓		
NUN 54-22 Crimper		2252533	✓	✓			✓		
NCT 85 C-22 Cable cutter		2252513	✓	✓			✓		
NCT 53 C-22 Cable cutter		2252509	✓	✓			✓		
NCT 45 S-22 Cable cutter		2252506	✓	✓			✓		

- While ALL NURON batteries are compatible with ALL NURON tools, Hilti recommends specific batteries to be sold with each tool because they offer the best balance of performance, run time and weight for each tool.
- When two batteries are available for a tool (for example, B22-85 and B22-170,) note that the B22-85 optimizes size and weight while the B22-170 offers higher performance and run time with added weight.
- Charger performance has two factors: how much power can the charger provide and how much charge can the battery receive. The C 8-22 Charger does not charge B22-55 or B22-85 any faster than the C 6-22 or C 4-22 Chargers.
- Tool, battery, and application determine the best battery and charger combination. For example, while the SL 6-22 can run all day on a B 22-255, this combination does not require a C 8-22 due to 8 hours of run time. Alternatively, a TE 2000-22 can be continuously used with (2) B22-255s and will require (2) C 8-22 to perform at the optimum level.
- C 6-22 and C 8-22 Chargers both include fans that help cool batteries for faster charging when batteries are hot. Selling C 6-22 chargers when C 4-22 is recommended may make sense when price is a lower concern for the customer.

Hilti recommended for sale with tool
 Compatible, may be too large or heavy for most work with tool

Compatible, will have low run time for applications on this tool

All NURON chargers compatible with all NURON batteries

NURON Batteries and Chargers

Tool Description		Item No.	B22-55	B22-85	B22 -170	B22-255	C4-22	C6-22	C8-22
NCT 25 S-22 Cable cutter		2252501	✓	✓			✓		
NPU 100-22 Knockout punch		3801437	✓	✓			✓		
TE 2-22 (G03) Rotary hammer		2256700	✓	✓			✓		
TE 4-22 (G03) Rotary hammer		2253092		✓	✓		✓		
TE 5-22 Rotary hammer		2327368		✓	✓		✓		
TE 6-22 (G05) Rotary hammer		2253085		✓	✓		✓		

- While ALL NURON batteries are compatible with ALL NURON tools, Hilti recommends specific batteries to be sold with each tool because they offer the best balance of performance, run time and weight for each tool.
- When two batteries are available for a tool (for example, B22-85 and B22-170,) note that the B22-85 optimizes size and weight while the B22-170 offers higher performance and run time with added weight.
- Charger performance has two factors: how much power can the charger provide and how much charge can the battery receive. The C 8-22 Charger does not charge B22-55 or B22-85 any faster than the C 6-22 or C 4-22 Chargers.
- Tool, battery, and application determine the best battery and charger combination. For example, while the SL 6-22 can run all day on a B 22-255, this combination does not require a C 8-22 due to 8 hours of run time. Alternatively, a TE 2000-22 can be continuously used with (2) B22-255s and will require (2) C 8-22 to perform at the optimum level.
- C 6-22 and C 8-22 Chargers both include fans that help cool batteries for faster charging when batteries are hot. Selling C 6-22 chargers when C 4-22 is recommended may make sense when price is a lower concern for the customer.

Hilti recommended for sale with tool

Compatible, may be too large or heavy for most work with tool

Compatible, will have low run time for applications on this tool

All NURON chargers compatible with all NURON batteries

NURON Batteries and Chargers

Tool Description		Item No.	B22-55	B22-85	B22 -170	B22-255	C4-22	C6-22	C8-22
TE 30-22 Combihammer		2253115							
TE 60-22 Combihammer		2253099							
TE 500-22 Breaker		2309293							
TE 2000-22 Breaker	 	2313260							
NCV 4-22 Concrete pencil vibrator		2352795							
NCV 10-22 Concrete backpack vibrator		2352089							

- While ALL NURON batteries are compatible with ALL NURON tools, Hilti recommends specific batteries to be sold with each tool because they offer the best balance of performance, run time and weight for each tool.
- When two batteries are available for a tool (for example, B22-85 and B22-170,) note that the B22-85 optimizes size and weight while the B22-170 offers higher performance and run time with added weight.
- Charger performance has two factors: how much power can the charger provide and how much charge can the battery receive. The C 8-22 Charger does not charge B22-55 or B22-85 any faster than the C 6-22 or C 4-22 Chargers.
- Tool, battery, and application determine the best battery and charger combination. For example, while the SL 6-22 can run all day on a B 22-255, this combination does not require a C 8-22 due to 8 hours of run time. Alternatively, a TE 2000-22 can be continuously used with (2) B22-255s and will require (2) C 8-22 to perform at the optimum level.
- C 6-22 and C 8-22 Chargers both include fans that help cool batteries for faster charging when batteries are hot. Selling C 6-22 chargers when C 4-22 is recommended may make sense when price is a lower concern for the customer.

Hilti recommended for sale with tool
 Compatible, may be too large or heavy for most work with tool

Compatible, will have low run time for applications on this tool

All NURON chargers compatible with all NURON batteries

NURON Batteries and Chargers

Tool Description	Item No.	2251348 2251352 2251360 2345534 2253927 2254431 2260054						
		B22-55	B22-85	B22-170	B22-255	C4-22	C6-22	C8-22
NMX 6-22 Paddle mixer 	2333178							
NBL 4-22 Blower 	2352719							
SC 30WL-22 Blade left circular saw 	2243855							
SC 30WR-22 Blade right circular saw 	2232913							
SC 6WL-22 Circular saw 	2326033							
SC 6ML-22 Cordless circular saw 	2315450							

- While ALL NURON batteries are compatible with ALL NURON tools, Hilti recommends specific batteries to be sold with each tool because they offer the best balance of performance, run time and weight for each tool.
- When two batteries are available for a tool (for example, B22-85 and B22-170,) note that the B22-85 optimizes size and weight while the B22-170 offers higher performance and run time with added weight.
- Charger performance has two factors: how much power can the charger provide and how much charge can the battery receive. The C 8-22 Charger does not charge B22-55 or B22-85 any faster than the C 6-22 or C 4-22 Chargers.
- Tool, battery, and application determine the best battery and charger combination. For example, while the SL 6-22 can run all day on a B 22-255, this combination does not require a C 8-22 due to 8 hours of run time. Alternatively, a TE 2000-22 can be continuously used with (2) B22-255s and will require (2) C 8-22 to perform at the optimum level.
- C 6-22 and C 8-22 Chargers both include fans that help cool batteries for faster charging when batteries are hot. Selling C 6-22 chargers when C 4-22 is recommended may make sense when price is a lower concern for the customer.

Hilti recommended for sale with tool
 Compatible, may be too large or heavy for most work with tool

Compatible, will have low run time for applications on this tool

All NURON chargers compatible with all NURON batteries

NURON Batteries and Chargers

Tool Description	Item No.	2251348 2251352 2251360 2345534 2253927 2254431 2260054						
		B22-55	B22-85	B22 -170	B22-255	C4-22	C6-22	C8-22
SC 4MR-22 Circular saw 	2351361							
SR 6-22 Reciprocating saw 	2240583							
SR 4-22 Reciprocating saw 	2240574							
SMT 6-22 Multi-tool 	2366390							
SJD 6-22 Orbital jig saw 	2251188							
SJT 6-22 Orbital jig saw 	2251329							

- While ALL NURON batteries are compatible with ALL NURON tools, Hilti recommends specific batteries to be sold with each tool because they offer the best balance of performance, run time and weight for each tool.
- When two batteries are available for a tool (for example, B22-85 and B22-170,) note that the B22-85 optimizes size and weight while the B22-170 offers higher performance and run time with added weight.
- Charger performance has two factors: how much power can the charger provide and how much charge can the battery receive. The C 8-22 Charger does not charge B22-55 or B22-85 any faster than the C 6-22 or C 4-22 Chargers.
- Tool, battery, and application determine the best battery and charger combination. For example, while the SL 6-22 can run all day on a B 22-255, this combination does not require a C 8-22 due to 8 hours of run time. Alternatively, a TE 2000-22 can be continuously used with (2) B22-255s and will require (2) C 8-22 to perform at the optimum level.
- C 6-22 and C 8-22 Chargers both include fans that help cool batteries for faster charging when batteries are hot. Selling C 6-22 chargers when C 4-22 is recommended may make sense when price is a lower concern for the customer.

Hilti recommended for sale with tool
 Compatible, may be too large or heavy for most work with tool

Compatible, will have low run time for applications on this tool

All NURON chargers compatible with all NURON batteries

NURON Batteries and Chargers

Tool Description		Item No.	B22-55	B22-85	B22 -170	B22-255	C4-22	C6-22	C8-22
SB 4-22 Band saw		2251589							
SB 6-22 Wide mouth band saw		2358827							
SCO 6-22 Cut-out tool		2252193							
AG 6D-22 (5") Angle grinder		2215472							
AG 6D-22 (6") Angle grinder		2215473							
AG 4S-22 (4.5"/5") Angle grinder		2248340							

- While ALL NURON batteries are compatible with ALL NURON tools, Hilti recommends specific batteries to be sold with each tool because they offer the best balance of performance, run time and weight for each tool.
- When two batteries are available for a tool (for example, B22-85 and B22-170,) note that the B22-85 optimizes size and weight while the B22-170 offers higher performance and run time with added weight.
- Charger performance has two factors: how much power can the charger provide and how much charge can the battery receive. The C 8-22 Charger does not charge B22-55 or B22-85 any faster than the C 6-22 or C 4-22 Chargers.
- Tool, battery, and application determine the best battery and charger combination. For example, while the SL 6-22 can run all day on a B 22-255, this combination does not require a C 8-22 due to 8 hours of run time. Alternatively, a TE 2000-22 can be continuously used with (2) B22-255s and will require (2) C 8-22 to perform at the optimum level.
- C 6-22 and C 8-22 Chargers both include fans that help cool batteries for faster charging when batteries are hot. Selling C 6-22 chargers when C 4-22 is recommended may make sense when price is a lower concern for the customer.

Hilti recommended for sale with tool
 Compatible, may be too large or heavy for most work with tool

Compatible, will have low run time for applications on this tool

All NURON chargers compatible with all NURON batteries

NURON Batteries and Chargers

Tool Description		Item No.	B22-55	B22-85	B22 -170	B22-255	C4-22	C6-22	C8-22
AG 5D-22 (5") Angle grinder		2270844							
GFB 6X-22 Band file		2252752							
GPB 6X-22 Burnisher		2252750							
GTB 6X-22 Tube belt sander		2252751							
GDG 6-22 Die grinder		2267005							

- While ALL NURON batteries are compatible with ALL NURON tools, Hilti recommends specific batteries to be sold with each tool because they offer the best balance of performance, run time and weight for each tool.
- When two batteries are available for a tool (for example, B22-85 and B22-170,) note that the B22-85 optimizes size and weight while the B22-170 offers higher performance and run time with added weight.
- Charger performance has two factors: how much power can the charger provide and how much charge can the battery receive. The C 8-22 Charger does not charge B22-55 or B22-85 any faster than the C 6-22 or C 4-22 Chargers.
- Tool, battery, and application determine the best battery and charger combination. For example, while the SL 6-22 can run all day on a B 22-255, this combination does not require a C 8-22 due to 8 hours of run time. Alternatively, a TE 2000-22 can be continuously used with (2) B22-255s and will require (2) C 8-22 to perform at the optimum level.
- C 6-22 and C 8-22 Chargers both include fans that help cool batteries for faster charging when batteries are hot. Selling C 6-22 chargers when C 4-22 is recommended may make sense when price is a lower concern for the customer.

Hilti recommended for sale with tool
 Compatible, may be too large or heavy for most work with tool

Compatible, will have low run time for applications on this tool

All NURON chargers compatible with all NURON batteries

NURON Batteries and Chargers

Tool Description	Item No.	2251348 2251352 2251360 2345534 2253927 2254431 2260054						
		B22-55	B22-85	B22 -170	B22-255	C4-22	C6-22	C8-22
DSH 600-22 Hand-held battery cut-off saw 	2251533							
DSH 700-22 Cut-off saw 	3821501							
SSH 6-22 Shear 	2252736							
SPN 6-22 CN Nibbler 	2252737							
SPN 6-22 RN Nibbler 	2316430							

- While ALL NURON batteries are compatible with ALL NURON tools, Hilti recommends specific batteries to be sold with each tool because they offer the best balance of performance, run time and weight for each tool.
- When two batteries are available for a tool (for example, B22-85 and B22-170,) note that the B22-85 optimizes size and weight while the B22-170 offers higher performance and run time with added weight.
- Charger performance has two factors: how much power can the charger provide and how much charge can the battery receive. The C 8-22 Charger does not charge B22-55 or B22-85 any faster than the C 6-22 or C 4-22 Chargers.
- Tool, battery, and application determine the best battery and charger combination. For example, while the SL 6-22 can run all day on a B 22-255, this combination does not require a C 8-22 due to 8 hours of run time. Alternatively, a TE 2000-22 can be continuously used with (2) B22-255s and will require (2) C 8-22 to perform at the optimum level.
- C 6-22 and C 8-22 Chargers both include fans that help cool batteries for faster charging when batteries are hot. Selling C 6-22 chargers when C 4-22 is recommended may make sense when price is a lower concern for the customer.

Hilti recommended for sale with tool
 Compatible, may be too large or heavy for most work with tool

Compatible, will have low run time for applications on this tool

All NURON chargers compatible with all NURON batteries

NURON Batteries and Chargers

Tool Description		Item No.	B22-55	B22-85	B22 -170	B22-255	C4-22	C6-22	C8-22
RT 6-22 Rivet tool		2248719	✓				✓		
BX 3-ME-22 Battery-actuated tool		2253766	✓	✓			✓		
BX 3-22 Battery-actuated tool		2253761	✓	✓			✓		
HDE 500-22 Dispenser		3779078	✓	✓			✓		
CD 4-22 Caulking dispenser		2250119	✓	✓			✓		

* Image shown has both 20 oz and 10 oz which are different item numbers.

- While ALL NURON batteries are compatible with ALL NURON tools, Hilti recommends specific batteries to be sold with each tool because they offer the best balance of performance, run time and weight for each tool.
- When two batteries are available for a tool (for example, B22-85 and B22-170,) note that the B22-85 optimizes size and weight while the B22-170 offers higher performance and run time with added weight.
- Charger performance has two factors: how much power can the charger provide and how much charge can the battery receive. The C 8-22 Charger does not charge B22-55 or B22-85 any faster than the C 6-22 or C 4-22 Chargers.
- Tool, battery, and application determine the best battery and charger combination. For example, while the SL 6-22 can run all day on a B 22-255, this combination does not require a C 8-22 due to 8 hours of run time. Alternatively, a TE 2000-22 can be continuously used with (2) B22-255s and will require (2) C 8-22 to perform at the optimum level.
- C 6-22 and C 8-22 Chargers both include fans that help cool batteries for faster charging when batteries are hot. Selling C 6-22 chargers when C 4-22 is recommended may make sense when price is a lower concern for the customer.

Hilti recommended for sale with tool
 Compatible, may be too large or heavy for most work with tool

Compatible, will have low run time for applications on this tool

All NURON chargers compatible with all NURON batteries

NURON Batteries and Chargers

Tool Description	Item No.							
		B22-55	B22-85	B22-170	B22-255	C4-22	C6-22	C8-22
SD 5000-22 Drywall screwdriver 	2248353							
DWP 15-22 Water supply unit 	2315588							
VC 75-1-22 Vacuum 	2248004							
VC 140-2-22 Vacuum 	2254438							
R 6-22 Radio 	2260689							